

L Number	Hits	Search Text	DB	Time stamp
1	1	(5,829,006).pn.	USPAT	2004/04/02 13:32
2	1	(6,708,181 B1).pn.	USPAT	2004/04/02 13:33
-	27	(initializ\$6 with class\$3).ab.	USPAT	2004/04/01 15:35
-	1	(initializ\$6 with class\$3 same configura\$6).ab.	USPAT	2004/04/01 15:36
-	1	(initializ\$6 with class\$3 & configura\$6).ab.	USPAT	2004/04/01 15:36
-	1	(initializ\$6 with class\$3 same variable\$1).ab.	USPAT	2004/04/01 15:38
-	4	(initializ\$6 with class\$3 same attribut\$3).ab.	USPAT	2004/04/02 10:33
-	0	(command with (attribut\$3 or variable\$1) with initialaz\$3).ab.	USPAT	2004/04/02 10:33
-	0	(command with (attribut\$3 or variable\$1) with initialaz\$3)	USPAT	2004/04/02 10:33
-	0	(command with (attribut\$3 or variable\$1) with initialaz\$3)	USPAT	2004/04/02 10:33
-	0	(command\$3 with (attribut\$3 or variable\$1) with initialaz\$3)	USPAT	2004/04/02 10:34
-	10534	(command\$3 with (attribut\$3 or variable\$1))	USPAT	2004/04/02 10:34
-	350	(command\$3 with (attribut\$3 or variable\$1) same initializ\$3)	USPAT	2004/04/02 10:34
-	6	(command\$3 with (attribut\$3 or variable\$1) same initializ\$3).ab.	USPAT	2004/04/02 11:49
-	198	(command\$3 with (attribut\$3 or variable\$1) with initializ\$3)	USPAT	2004/04/02 11:40
-	0	((attribut\$3 or variable\$1) with initializ\$3 same " the same language")	USPAT	2004/04/02 11:40
-	0	(initializ\$3 same " the same language")	USPAT	2004/04/02 11:49
-	1	((attribut\$3 or variable\$1) with initializ\$3 with language\$1).ab.	USPAT	2004/04/02 11:56
-	2	((attribut\$3 or variable\$1) with initializ\$3 with read\$3).ab.	USPAT	2004/04/02 11:56
-	499	((attribut\$3 or variable\$1) with initializ\$3 with read\$3)	USPAT	2004/04/02 12:13
-	13	((attribut\$3 or variable\$1) with initializ\$3 with read\$3 with command\$3)	USPAT	2004/04/02 12:13
-	2	((attribut\$3 or variable\$1) with initializ\$3 with read\$3).ab.	USPAT	2004/04/02 12:09
-	11	((attribut\$3 or variable\$1) with initializ\$3 same read\$3).ab.	USPAT	2004/04/02 12:13
-	499	((attribut\$3 or variable\$1) with initializ\$3 with read\$3)	USPAT	2004/04/02 12:13
-	80	17& (((attribut\$3 or variable\$1) with initializ\$3).ab.)	USPAT	2004/04/02 12:14
-	80	((attribut\$3 or variable\$1) with initializ\$3).ab.	USPAT	2004/04/02 12:14
-	5	((attribut\$3 or variable\$1) with initializ\$3).ti.	USPAT	2004/04/02 12:14
-	5	17& (((attribut\$3 or variable\$1) with initializ\$3).ti.)	USPAT	2004/04/02 12:15
-	2	(((attribut\$3 or variable\$1) with initializ\$3 with read\$3)) & (((attribut\$3 or variable\$1) with initializ\$3).ti.)	USPAT	2004/04/02 13:31

L Number	Hits	Search Text	DB	Time stamp
1	1	(5,829,006) .pn.	USPAT	2004/04/02 13:32
2	1	(6,708,181 B1) .pn.	USPAT	2004/04/02 13:33
-	27	(initializ\$6 with class\$3) .ab.	USPAT	2004/04/01 15:35
-	1	(initializ\$6 with class\$3 same configura\$6) .ab.	USPAT	2004/04/01 15:36
-	1	(initializ\$6 with class\$3 & configura\$6) .ab.	USPAT	2004/04/01 15:36
-	1	(initializ\$6 with class\$3 same variable\$1) .ab.	USPAT	2004/04/01 15:38
-	4	(initializ\$6 with class\$3 same attribut\$3) .ab.	USPAT	2004/04/02 10:33
-	0	(command with (attribut\$3 or variable\$1) with initialaz\$3) .ab.	USPAT	2004/04/02 10:33
-	0	(command with (attribut\$3 or variable\$1) with initialaz\$3)	USPAT	2004/04/02 10:33
-	0	(command with (attribut\$3 or variable\$1) with initialaz\$3)	USPAT	2004/04/02 10:33
-	0	(command\$3 with (attribut\$3 or variable\$1) with initialaz\$3)	USPAT	2004/04/02 10:34
-	10534	(command\$3 with (attribut\$3 or variable\$1))	USPAT	2004/04/02 10:34
-	350	(command\$3 with (attribut\$3 or variable\$1) same initializ\$3)	USPAT	2004/04/02 10:34
-	6	(command\$3 with (attribut\$3 or variable\$1) same initializ\$3) .ab.	USPAT	2004/04/02 11:49
-	198	(command\$3 with (attribut\$3 or variable\$1) with initializ\$3)	USPAT	2004/04/02 11:40
-	0	((attribut\$3 or variable\$1) with initializ\$3 same " the same language")	USPAT	2004/04/02 11:40
-	0	(initializ\$3 same " the same language")	USPAT	2004/04/02 11:49
-	1	((attribut\$3 or variable\$1) with initializ\$3 with language\$1) .ab.	USPAT	2004/04/02 11:56
-	2	((attribut\$3 or variable\$1) with initializ\$3 with read\$3) .ab.	USPAT	2004/04/02 11:56
-	499	((attribut\$3 or variable\$1) with initializ\$3 with read\$3)	USPAT	2004/04/02 12:13
-	13	((attribut\$3 or variable\$1) with initializ\$3 with read\$3 with command\$3)	USPAT	2004/04/02 12:13
-	2	((attribut\$3 or variable\$1) with initializ\$3 with read\$3) .ab.	USPAT	2004/04/02 12:09
-	11	((attribut\$3 or variable\$1) with initializ\$3 same read\$3) .ab.	USPAT	2004/04/02 12:13
-	499	((attribut\$3 or variable\$1) with initializ\$3 with read\$3)	USPAT	2004/04/02 12:13
-	80	17& (((attribut\$3 or variable\$1) with initializ\$3) .ab.)	USPAT	2004/04/02 12:14
-	80	((attribut\$3 or variable\$1) with initializ\$3) .ab.	USPAT	2004/04/02 12:14
-	5	((attribut\$3 or variable\$1) with initializ\$3) .ti.	USPAT	2004/04/02 12:14
-	5	17& (((attribut\$3 or variable\$1) with initializ\$3) .ti.)	USPAT	2004/04/02 12:15
-	2	(((attribut\$3 or variable\$1) with initializ\$3 with read\$3)) & (((attribut\$3 or variable\$1) with initializ\$3) .ti.)	USPAT	2004/04/02 13:31

L Number	Hits	Search Text	DB	Time stamp
1	1	(5,829,006).pn.	USPAT	2004/04/02 13:32
2	1	(6,708,181 B1).pn.	USPAT	2004/04/02 13:33
-	27	(initializ\$6 with class\$3).ab.	USPAT	2004/04/01 15:35
-	1	(initializ\$6 with class\$3 same configura\$6).ab.	USPAT	2004/04/01 15:36
-	1	(initializ\$6 with class\$3 & configura\$6).ab.	USPAT	2004/04/01 15:36
-	1	(initializ\$6 with class\$3 same variable\$1).ab.	USPAT	2004/04/01 15:38
-	4	(initializ\$6 with class\$3 same attribut\$3).ab.	USPAT	2004/04/02 10:33
-	0	(command with (attribut\$3 or variable\$1) with initialaz\$3).ab.	USPAT	2004/04/02 10:33
-	0	(command with (attribut\$3 or variable\$1) with initialaz\$3)	USPAT	2004/04/02 10:33
-	0	(command with (attribut\$3 or variable\$1) with initialaz\$3)	USPAT	2004/04/02 10:33
-	0	(command\$3 with (attribut\$3 or variable\$1) with initialaz\$3)	USPAT	2004/04/02 10:34
-	10534	(command\$3 with (attribut\$3 or variable\$1))	USPAT	2004/04/02 10:34
-	350	(command\$3 with (attribut\$3 or variable\$1) same initializ\$3)	USPAT	2004/04/02 10:34
-	6	(command\$3 with (attribut\$3 or variable\$1) same initializ\$3).ab.	USPAT	2004/04/02 11:49
-	198	(command\$3 with (attribut\$3 or variable\$1) with initializ\$3)	USPAT	2004/04/02 11:40
-	0	((attribut\$3 or variable\$1) with initializ\$3 same " the same language")	USPAT	2004/04/02 11:40
-	0	(initializ\$3 same " the same language")	USPAT	2004/04/02 11:49
-	1	((attribut\$3 or variable\$1) with initializ\$3 with language\$1).ab.	USPAT	2004/04/02 11:56
-	2	((attribut\$3 or variable\$1) with initializ\$3 with read\$3).ab.	USPAT	2004/04/02 11:56
-	499	((attribut\$3 or variable\$1) with initializ\$3 with read\$3)	USPAT	2004/04/02 12:13
-	13	((attribut\$3 or variable\$1) with initializ\$3 with read\$3 with command\$3)	USPAT	2004/04/02 12:13
-	2	((attribut\$3 or variable\$1) with initializ\$3 with read\$3).ab.	USPAT	2004/04/02 12:09
-	11	((attribut\$3 or variable\$1) with initializ\$3 same read\$3).ab.	USPAT	2004/04/02 12:13
-	499	((attribut\$3 or variable\$1) with initializ\$3 with read\$3)	USPAT	2004/04/02 12:13
-	80	17& (((attribut\$3 or variable\$1) with initializ\$3).ab.)	USPAT	2004/04/02 12:14
-	80	((attribut\$3 or variable\$1) with initializ\$3).ab.	USPAT	2004/04/02 12:14
-	5	((attribut\$3 or variable\$1) with initializ\$3).ti.	USPAT	2004/04/02 12:14
-	5	17& (((attribut\$3 or variable\$1) with initializ\$3).ti.)	USPAT	2004/04/02 12:15
-	2	(((attribut\$3 or variable\$1) with initializ\$3 with read\$3)) & (((attribut\$3 or variable\$1) with initializ\$3).ti.)	USPAT	2004/04/02 13:31

L Number	Hits	Search Text	DB	Time stamp
1	1	(5,829,006).pn.	USPAT	2004/04/02 13:32
2	1	(6,708,181 B1).pn.	USPAT	2004/04/02 13:33
-	27	(initializ\$6 with class\$3).ab.	USPAT	2004/04/01 15:35
-	1	(initializ\$6 with class\$3 same configura\$6).ab.	USPAT	2004/04/01 15:36
-	1	(initializ\$6 with class\$3 & configura\$6).ab.	USPAT	2004/04/01 15:36
-	1	(initializ\$6 with class\$3 same variable\$1).ab.	USPAT	2004/04/01 15:38
-	4	(initializ\$6 with class\$3 same attribut\$3).ab.	USPAT	2004/04/02 10:33
-	0	(command with (attribut\$3 or variable\$1) with initialaz\$3).ab.	USPAT	2004/04/02 10:33
-	0	(command with (attribut\$3 or variable\$1) with initialaz\$3)	USPAT	2004/04/02 10:33
-	0	(command with (attribut\$3 or variable\$1) with initialaz\$3)	USPAT	2004/04/02 10:33
-	0	(command\$3 with (attribut\$3 or variable\$1) with initialaz\$3)	USPAT	2004/04/02 10:34
-	10534	(command\$3 with (attribut\$3 or variable\$1))	USPAT	2004/04/02 10:34
-	350	(command\$3 with (attribut\$3 or variable\$1) same initializ\$3)	USPAT	2004/04/02 10:34
-	6	(command\$3 with (attribut\$3 or variable\$1) same initializ\$3).ab.	USPAT	2004/04/02 11:49
-	198	(command\$3 with (attribut\$3 or variable\$1) with initializ\$3)	USPAT	2004/04/02 11:40
-	0	((attribut\$3 or variable\$1) with initializ\$3 same " the same language")	USPAT	2004/04/02 11:40
-	0	(initializ\$3 same " the same language")	USPAT	2004/04/02 11:49
-	1	((attribut\$3 or variable\$1) with initializ\$3 with language\$1).ab.	USPAT	2004/04/02 11:56
-	2	((attribut\$3 or variable\$1) with initializ\$3 with read\$3).ab.	USPAT	2004/04/02 11:56
-	499	((attribut\$3 or variable\$1) with initializ\$3 with read\$3)	USPAT	2004/04/02 12:13
-	13	((attribut\$3 or variable\$1) with initializ\$3 with read\$3 with command\$3)	USPAT	2004/04/02 12:13
-	2	((attribut\$3 or variable\$1) with initializ\$3 with read\$3).ab.	USPAT	2004/04/02 12:09
-	11	((attribut\$3 or variable\$1) with initializ\$3 same read\$3).ab.	USPAT	2004/04/02 12:13
-	499	((attribut\$3 or variable\$1) with initializ\$3 with read\$3)	USPAT	2004/04/02 12:13
-	80	17& (((attribut\$3 or variable\$1) with initializ\$3).ab.)	USPAT	2004/04/02 12:14
-	80	((attribut\$3 or variable\$1) with initializ\$3).ab.	USPAT	2004/04/02 12:14
-	5	((attribut\$3 or variable\$1) with initializ\$3).ti.	USPAT	2004/04/02 12:14
-	5	17& (((attribut\$3 or variable\$1) with initializ\$3).ti.)	USPAT	2004/04/02 12:15
-	2	(((attribut\$3 or variable\$1) with initializ\$3 with read\$3)) & (((attribut\$3 or variable\$1) with initializ\$3).ti.)	USPAT	2004/04/02 13:31

